


REISS Communication solutions
Conversation at eye level.

We know how to create offices.







COMMUNICATION

Exceptionally diverse.

Working creatively and sharing knowledge in dialog: With REISS communication solutions you create the best conditions for successful meetings and good conversations. From specialized meeting and seminar rooms to highly variable meeting zones and representative conferences - with REISS you can design individual communication rooms for every requirement.



All REISS communication solutions programs are GS-tested. They have been awarded the RAL-UZ 38 environmental label and meet the „Quality Office“ criteria.

The flexible all-rounder.


The functional REISS Novo sets standards in the segment of sit-stand tables. With its height adjustable individual column, it is not only ergonomically advantageous, but also immensely flexible. Whether as a second table, for meetings at the workplace, as a communication base in the break room or a flexible all-rounder in the meeting room - almost any possible use is imaginable as a result of the diverse top and frame versions with and without castors.



HIGHLIGHTS AND OPTIONS

- I Variable design
- I Single table or desk extension
- I Round or square table top with corresponding single column
- I Mobile with 4-star base and 4 double castors
- I Chromed column






COMMUNICATION



REISS Novo





COMMUNICATION




Of course, REISS Novo also offers outstanding performance on two columns. So you have enough space for larger rounds of talks, whether you communicate sitting or standing. REISS Novo also cuts a fine figure as a two-column table and you remain flexible.



REISS Idealo

The clear line for constructive talks.





COMMUNICATION




REISS Idealo combines clean lines with comfort and ergonomics. Whether large or small, every REISS Idealo conference solution captivates with a unique character and conveys lightness, no matter how heavy the subject of conversation. Thanks to the variety of configuration options and intelligent details, such as the „floating table top“ and the straight-lined frame solution, Idealo conference solutions create free space for open, constructive discussions and creativity.




REISS Avaro Q

The all-rounder for demanding situations.

REISS Avaro Q combines flexibility and ergonomics. All ergonomic requirements of modern workplaces are met with the variant-rich height adjustment and the consistently functional design. REISS Avaro Q communication solutions are characterized by clear design and a wide range of equipment and combination options. This means that they fit perfectly into the overall design of the building. The ergonomic design of the tables, such as the comfortable legroom and individual height adjustment, ensures that concentration remains focused on the essentials: Communication while sitting or standing.






COMMUNICATION



REISS Eco V





COMMUNICATION

The center of good conversation.




Concentrated meetings in a seated position or brainstorming while standing - the barrel-shaped Eco V conference table has everything you need for productive discussions: plenty of space for good ideas and a stable smooth-running mechanism for smooth and virtually silent height adjustment, allowing it to adapt effortlessly to any situation.

HIGHLIGHTS AND OPTIONS


- | Lift table with gas pressure spring
- | Immediate, smooth and almost noiseless height adjustment
- | Safety drop brake prevents „sagging“ of the table top
- | Without motor: maintenance and annual inspection are not required
- | Inner columns in chrome finish
- | Max. load 15 kg, optional max. load 30 kg (Eco V Plus) for tables 800 mm deep
- | Table tops with sliding top function




REISS Standard



The timeless classic.



COMMUNICATION




REISS STANDARD is the right partner for everyday office communication. With this program, all communication questions can be answered in an uncomplicated way, without having to forego design diversity. The different table top shapes allow versatile use in companies or also in the furnishing of waiting areas in public spaces, such as in hospitals.

REISS Standard



Communication interfaces are becoming increasingly important in companies. REISS Standard offers a contemporary solution for this in a variety of forms. Here there is enough space for the exchange of thoughts and ideas in a large discussion group or in a spontaneous meeting.




COMMUNICATION



The variable specialist for conferences.



With its modular design, REISS Inteo masters every configuration with flying colors. Always effective in terms of space and reduced in terms of the number of legs. This makes even longer discussions pleasant and comfortable.



COMMUNICATION





Set for variation from head to toe. REISS Inteo is available for conversations in any shape. Thanks to special panel shapes that can be combined with each other, REISS Inteo offers the right communication solution for every room - whether with a closed surface, constructed in a ring shape for large rounds or with legroom screens, such as for use in training or seminar areas.



REISS Tabilo

REISS Tabilo is the answer to the requirements of the modern working world. Absolutely flexible and fully mobile, REISS Tabilo can be used easily and quickly for any communication scenario. Thanks to its smooth-running, brakeable castors and foldable panels in variable sizes, as well as tool-free linking for larger setups, you can respond to any situation completely spontaneously and concentrate fully on communication.





COMMUNICATION

The mobile communication assistant.




With its folding mechanism, REISS Tabilo quickly fades into the background after use, saving space. By swiveling the table top, you simply line up the tables conveniently.

System


REISS Novo




Single table
Height: 740
Ø 600
Ø 700
Ø 800
Ø 900
Ø 1000
Ø 1200




Single table
Height: 1100
Ø 600
Ø 700
Ø 800
Ø 900
Ø 1000
Ø 1200




Single table
Height: 450
Ø 600
Ø 700
Ø 800



Single table
Height: 680–1120
Ø 600
Ø 700
Ø 800
Ø 900
Ø 1000
Ø 1200




Single table
Height: 720–1160
Ø 700
Ø 800
Ø 900
Ø 1000




Single table
Height: 450

☐ 600
☐ 700
☐ 800



Single table
Height: 740

- ☐ 600
- ☐ 700
- ☐ 800
- ☐ 900
- ☐ 1000
- ☐ 1200




Single table
Height: 1100

☐ 600

☐ 700

☐ 800



Single table
680–1120

☐ 600

☐ 700

☐ 800



Single table
Height: 740

☐ 600

☐ 800

☐ 900

☐ 1000




Single table
Height: 1100

☐ 600

☐ 800

☐ 900

☐ 1000



Single table
720–1160

☐ 600

☐ 800

☐ 900

☐ 1000



Single table
Height: 740

☐ 600

☐ 800


☐ 900

☐ 1000




Single table
Height: 1100

- ☐ 600
- ☐ 800
- ☐ 900
- ☐ 1000




Single table
680–1120


- ☐ 600
- ☐ 800
- ☐ 900
- ☐ 1000




Two-column table
Height: 1100
2000 x 900/600



Two-column table
Height: 740
1600 x 1000




Two-column table
Height: 740
2400 x 1200



Two-column table
Height: 1100
2000 x 1000



Height 740




Conference table


Dimensions in mm

REISS Idealo

Height 740




Conference table




REISS Avaro Q

Height 740




Conference table




REISS Eco N2


Conference table
650-1250
2200 x 1000




Attachment table



Conference table
2000 x 1000
2200 x 1000




Conference table
650-1250
2400 x 1200




Connecting plate
800 x 800
1000 x 800
1200 x 800
1400 x 800

Conference table
2400 x 1200





Conference table
650-1250
1600 x 1100
1800 x 1100
2000 x 1100
2200 x 1100
2400 x 1100





Conference table
1400 x 1400
1600 x 1600

Conference table
1600 x 1100
1800 x 1100
2000 x 1100
2200 x 1100
2400 x 1100





Attachment table
1400 x 1400
1600 x 1600

Conference table
two-piece table top
3200 x 1400




Connecting plate
1400 x 1400
1600 x 1600

Conference table
two-piece table top
4000 x 1400




Conference table
three-piece tabletop
4800 x 1400





System

REISS Standard

Height 740



Meeting table*



Meeting table

1400 x 1000
1600 x 1000
1800 x 1000
2800 x 1000

Meeting table*

Ø 800
Ø 1200




Semicircle table*

1200 x 600
1600 x 800




Trapez table*

1200 x 600
1400 x 700
1600 x 800




Conference table V74

1000 x 1000
1400 x 1000
1600 x 1000
1800 x 1000
2000 x 1000



Connecting plate V74


1000 x 1000
1400 x 1000
1600 x 1000
1800 x 1000
2000 x 1000





* You will find further meeting attachments and connecting elements in the programs REISS STANDARD RH/RR/VH/VV

REISS Inteo

Height 740, adjustable of height 720





Conference table



Conference table


2270 x 1600

Connecting plate




Connecting plate

1400 x 700
1600 x 800




Connecting element 90°

R = 700
R = 800




Connecting element 135°

R = 700
R = 800




Head plate

700 / 800



Radius table

R = 350
1200 x 600
1400 x 700
1600 x 800



Semicircle table

1200 x 600
1400 x 700
1600 x 800



Trapez table

1200 x 600, 520 tief
1400 x 700, 600 tief
1600 x 800, 700 tief



Circle segment table 45°


1400 x 700
1600 x 800




Dimensions in mm

Combination examples


REISS Standard



REISS Inteo




REISS Tabilo



Cable routing

REISS communication solutions offer simple and effective cable management. Spacious cable ducts accommodate all necessary connections. Cables are safely routed even on large-format tables and are always easily accessible thanks to hinged cable ducts.



Quick and direct: the cable entry module provides spacious access to the horizontal cable duct; the brush insert allows the flap to be closed easily. Convenient and highly variable: REISS offers the foldable electrification modules in a wide range of equipment variants, e.g.: 2 x earthing contact plug, 2 x Ethernet



Spacious and easily accessible: The hinged cable channels provide convenient storage space for all necessary connections



Simple and effective: cable clamps enable orderly cable routing under the tabletop



Safe and flexible: The cable chain with flexible plastic links is break- and shock-proof and creates the perfect connection from the cable duct to the floor tank

Peripheral furniture



STAND-SIT-DESK

Height adjustable by quick lift adjustment from 720-1160 mm, desk top with shelf bar, inclinable, 1 shelf, 4-way base with 2 floor adjusters at the front, 2 double castors at the rear, with panel



STAND-SIT-EQUIPMENT TROLLEY

Height adjustable by quick lift adjustment from 720-1160 mm, desk top and 2 storage shelves, 4-way base with 4 double castors (2 are lockable)



STAND-SIT-TERMINAL TROLLEY

Height adjustable by quick lift from 720-1160 mm, desk top and 1 shelf, 4-way base with 4 double castors, 2 of which can be locked, CPU holder left or right, can be mounted at the front and ELT-Box-1, with panel



CATERING CONTAINER

Optimum operability due to internally adjustable drawer inserts and safe standing even with fully fully extended drawer

Electrification

Whether integrated media connection or universally mountable electrification module - fast and uncomplicated data access is guaranteed with REISS communication solutions. Always exactly where the call participants need it.



Electrification module, table top mountable,
3 x safety plug



Electrification module, tabletop mountable,
3 x safety plug, 1 x Ethernet, 1 x USB



Electrification module, tabletop mountable,
3 x safety plug, 2 x Ethernet, 1 x USB, 1 x
HDMI



Electrification module, closed
Finish in silver RAL 9006



Electrification module, closed
Finish in black RAL 9011



Electrification module, closed
Chrome finish



Electrification module, foldable, 4 x safety
plug, 4 x Ethernet



Electrification module, foldable, 3 x safety
plugs, 2 x Ethernet, 1 x audio, 1 x VGA,
1 x HDMI



Electrification module, foldable, 3 x safety
plugs, 2 x Ethernet, 1 x audio, 1 x VGA,
1 x USB



Electrification module, foldable, 3 x safety
plug



Electrification module, foldable, 2 x safety
plug, 2 x Ethernet



Electrification module, foldable, 1 x safety
plug, 2 x Ethernet, 1 x USB, 1 x HDMI



Electrification module, foldable,
1 x safety plug, 2 x Ethernet,
1 x audio, 1 x VGA



SQ8 electrification module with Qi charging
function, sliding cover as inductive charging
station, 1 x safety plug, 1 x Ethernet, 1 x USB

Execution Ethernet, Audio, USB

Ethernet: CAT6 RJ45
Audio: mini jack 3.5 mm
USB: 3.0



REISS products are GS-certified. They bear the RAL-UZ 38 environmental quality seal, and meet the "Quality Office" criteria. REISS is certified in accordance with the quality management system (DIN EN ISO 9001), the environmental management system (DIN EN ISO 14001), the product chain certificate PEFC-CoC and EMAS III.

www.reiss-bueromoebel.de

REISS Büromöbel GmbH
D-04924 Bad Liebenwerda

Telefon: +49 35341 48-360
 Telefax: +49 35341 48-368
 E-Mail: info@reiss-bueromoebel.de

Member of the Industrial Association of
 Offices and Work Environment (IBA)